

NOTES:

1.0 ELECTRICAL SPECIFICATIONS:

1.1 FREQUENCY RANGE: DC to 8.0 GHz.

1.2 MAXIMUM INPUT POWER:

2 WATTS AT +25°C

1 WATT AT +125°C

1.3 MAXIMUM VSWR:

DC to 4 GHz: 1.05:1

4 to 8.0 GHz: 1.10:1

1.4 IMPEDANCE: 50 OHMS

1.5 TEMPERATURE RANGE: -65°C to +125°C


2.0 MARKING:

2.1 MARK UNIT AS SHOWN:

(REF: INK-02639-27-65)

3.0 DIMENSIONS IN PARENTHESIS ARE

IN MILLIMETERS.



MODEL NUMBER	TRM-2092-FC-SMA-02
REV.	-1

DATE	8/14/95	10/31/05
DESCRIPTION	RELEASED	ADDED TITLEBLOCK
REV.	-	-1

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:	FSCM NO. 34078		MIDWEST MICROWAVE	
	NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave		TITLE 2 WATT TERMINATION	
3 PLACE DECIMALS ±.005	DRAWN/DATE M.STAFFORD 8/11/95	ENG./DATE C.BONK 8/14/95	DRAWING NUMBER TRM-2092-FC-SMA-02	
2 PLACE DECIMALS ±.02	CHECKED/DATE A.BEATTY 8/14/95	APPROVED/DATE	SCALE: 5=1 SHEET 1 of 1	
FRACTIONS ±1/64				
PARALLELITY: T.I.R. _____				
FLATNESS: T.I.R. _____				
CONCENTRICITY: T.I.R. _____				
ANGLES AND PERPENDICULARITY: ±1'				